

भारतीय मानक ब्यूरो

BUREAU OF INDIAN STANDARDS

बेंगलोर शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया
पहेली स्टेज, बेंगलोर - टुमकूर रोड
बेंगलोर - 560 058
BANGALORE BRANCH OFFICE
PEENYA INDUSTRIAL AREA
1st STAGE, BANGALORE-TUMKUR ROAD,
BANGALORE -560 058

टेलीफोन } 8394955 तार मानक संस्था
PHONE } 8394956 GRAMS MANAKSANSTHA
8396324
टेलिक्स } 0845-5096 BIS IN
TELEX }
FAX 91 080 8398841

Our Ref : MDBN/L- 6358174

Date : 2002 10 28

M/s.Mahadev Vidyut Udyog Pvt Ltd,
No.29, JCW Industrial Area, 11 th KM,
Kanakapura road,
Bangalore-560 062.



Dear Sir(s),

SUBJECT : Grant of BIS Certification Marks
Licence No. CM/L6358174.... as per IS : 1554(Pt 1):1988

With reference to your application we are pleased to inform you that it has been decided to grant you a licence to use the Standard Mark in respect to the following :

Product : PVC Insulated and sheathed, armoured/unarmoured heavy duty electric cables for working voltages
i) Grade upto and including 1100 V with copper and aluminium conductor nominal area of conductor
ii) Type upto and including 240mm² fire performance category 01, general purpose insulation, type
iii) Size of sheath STI excluding cables for use in mines
iv) Variety and low temperature condition according to IS 1554(Pt 1):1988

IS : 1554 (Pt 1):1988

The licence is being granted on the explicit condition that you will mark entire production which conforms to the Indian Standard.

2. The number assigned to this licence is CM/L 6358174..... which has been made operative from 2002.10.28... and is valid up to...2003.10.27.....The licence number should invariably be referred to in your future correspondence.

3. According to Sub-Regulation 2 of Regulation 6 of Bureau of Indian Standard (Certification) Regulations, 1988, as amended from time to time, the marking fee stipulated in the Second Schedule of this licence and agreed to by you vide your letter No..... dated 020507 is payable by you with effect from 2002.10.28... for the period of validity of the licence.

4. Minimum marking fee stipulated therein is payable by you regardless of the fact whether you actually mark or do not mark your product with the Standard Mark. As such you have deposited with us a sum of Rs.....26,000.00..... corresponding to the minimum marking fee for the current period of validity.

5. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.

P.T.O.

मुख्यालय : मानक भवन 9 बहादूर शाह जाफर मार्ग नई दिल्ली 110 002
HEAD OFFICE : MANAK BHAVAN 9 BAHADUR SHAH ZAFAR MARG, NEW DELHI - 110 002

6. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee, marking fee on the unit rate basis will be calculated on the production marked during the first Nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

7. The Scheme of Testing and inspection which has already been accepted by you vide your letter No..... dated 020507..... will have to be implemented by your organization strictly and completely. The supervision of the operation of the scheme shall be done by a person responsible for the quality control function in your organisation. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

8. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size of Standard Mark is permissible. This will ensure the relative proportion of the different dimensions maintained. Preferred dimensions be used as far as possible. Kindly get the design of the Stencil/Lable/Rating plate incorporating the Standard Mark approved by us. **YOU WILL BE PERMITTED TO COMMENCE MARKING THE ABOVE MENTIONED PRODUCTS ONLY AFTER OUR APPROVAL.**

9. On commencement of marking of our product which you are licenced, you may advertise your product with Standard Mark in hoarding, slides and newspapers only during the validity of your licence. The use of Standard Mark Letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or expiring of your licence, the letterheads etc with the Standard Mark will be destroyed/obliterated. The required assurance may please be submitted in the enclosed proforma.

10. You are requested to intimate us the actual date from which you intend to introduce the use of the Standard Mark on your product. Our inspecting officer may be present in your factory at that time to assist you in adopting the Scheme of Testing and inspection and in the maintenance of test records.

11. This licence is being granted for your factory situated at **No.29, JCW Indl Area, 11th KM, Kanakapura road, B'lore-62** and the right and privileges under the licence shall not be exercised by any other firm/company/factory, etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licenced premises to some other place, use of the Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

12. This licence is granted for the manufacturing process recorded during preliminary inspection and a sample from the production has been found conforming to relevant Indian Standard Specification. In the event of any change or addition of different manufacturing process, marking on the production from the changed new process shall be permitted only after it has been inspected and a sample drawn by BIS from the changed process, passes in the independent testing,

13. Under Regulation (2) of Regulation (6) of the above mentioned Regulation you are required to pay an amount of Rs. ~~5000/-~~ towards the annual licence fee in respect of this licence. As such you have deposited the said amount.

14. A copy/copies of the Test Report(s) on the sample(s) drawn at the time of preliminary inspection of your factory is/are enclosed for your records.


15. You are requested to intimate to this office the address of your servicing unit where applicable and the name and designation of the person, his telephone and telex number who should be contacted in case of complaints. It is obligatory on your part as a licensee to keep this office informed about changes taking place from time to time in your declared list of servicing units

16. The licence is under preparation and will be posted to you at an early date.

17. You are requested to send us back the enclosed proforma duly filled in.

18. Our Receipt No. 624114 dated 2002.10.28 for Rs. 27000.00 is enclosed herewith.

Yours faithfully,



(P. Sengupta)

Director & Head

Encl : As above



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
Bangalore Branch Office

Address: Peenya Industrial Area, 1st Stage,
Bangalore-Tumkur Road,
Bangalore-560058.
Phones : 080-28394955, 28394956
Fax: 080-28398841
E-Mail: bnbo@bis.org.in
web : http://www.bis.org.in

REGISTERED A.D

Our Ref: BNBO /L- 6358174

21 Oct 2008

Subject : RENEWAL OF CERTIFICATION MARKS LICENCE NO. CM/L- 6358174
AS PER IS 1554 : Part 1 : 1988

M/s SBEE CALBES (INDIA) LIMITED
NO.29, J C W INDL AREA, 11TH KM,
KANAKAPURA ROAD,
BANGALORE-560062.

Dear Sir,


With reference to your application for renewal of the above mentioned Certification Marks Licence, we are pleased to inform you that it has been renewed from 28/10/2008 to 27/10/2009.

It may please be noted that your licence shall expire at the end of the above mentioned period. You are, therefore, requested to send your application for its renewal at least two months before the expiry of the licence.


The endorsement sheet No. 8 regarding renewal of licence is enclosed. This may be annexed to the original licence document available with you.

You are also requested to subscribe to our monthly Technical Journal 'Standards India' and also make use to publicise your product through advertisement. The details of the advertisement charges and subscription rates are available in our website www.bis.org.in

Thanking you,


Yours faithfully,
24/10/08
(C.M. SINGE)
SCIENTIST-E (DIRECTOR)

Encl : As above & Rt. No. 6211919 dt 10.10.2008





भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Address : Peenya Industrial Area, Ist Stage,
Bangalore-Tumkur Road,
Bangalore - 560058.

Phones : 080-28394955, 28394956

Fax : 080-28398841

E-mail : bnbo@bis.org.in

Web : http://www.bis.org.in

Bangalore Branch Office

ATTACHMENT TO LICENCE NO. CM/L- 6358174


<u>CML NO</u>	<u>NAME OF THE LICENSEE WITH ADDRESS</u>	<u>PRODUCT</u>	<u>IS NO</u>
6358174	SBEE CALBES (INDIA) LIMITED NO.29, J C W INDL AREA, 11TH KM, KANAKAPURA ROAD, BANGALORE-560062. Karnataka.	Pvc insulated (heavy duty) electric cables: part 1 for working voltages upto and including 1 100 v	IS 1554 : Part 1 : 1988

ENDORSEMENT NO. 8

Dated 16th Oct 2008

Renewed for a further period of one year from Twenty Eighth October, Two Thousand Eight to Twenty Seventh October, Two Thousand Nine.

Other terms and conditions of Licence remain the same.


(C M SINGE)

SCIENTIST-E (Director)