

Government of India
Ministry of Commerce & Industry
Department of Commerce
Directorate General of Supplies & Disposals

Telephone : 08025537978
 Fax : 08025537121
 Telegram : NIRIKSHAN
 E-Mail : gaban@dgsnd.gov.in
 Website : dgsnd.gov.in

Director Quality Assurance,
 Kendrya Sadan, 17 th Main Road,
 Second Block, Koramangala
 Bangalore-560034



REGISTRATION CERTIFICATE

Dated: 05-MAY-08

To

M/s **SBEE CABLES (INDIA) LIMITED** (Supplier Code : 04214)
 No.29, J.C.W. Industrial Estate, 11th K.M. Kanakapura Road,
 BANGALORE
 560062

Ref:- Your Application No. sbec/2007-08/234

Dated 07-MAR-08

Dear sir,

Your request for registration with Directorate General of Supplies & Disposals (DGS&D) has been accepted and your name has been included in the list of registered suppliers as per details given hereunder and in the attached **Schedule**.

Registration No. : DGS&D/Regn/**BAN/S-2927/08/04214** Valid upto : As indicated
 workwise
 Category of registration : Manufacturer Whether SSI Unit : Yes

Name of the firm : **SBEE CABLES (INDIA) LIMITED**

Office Address, E-Mail ID, Telephone nos.

a) Registered Office b) Corporate/Head Office
 No.29, J.C.W. Industrial Estate, 11th
 K.M. Kanakapura Road,
 BANGALORE
 080-26662172
 info@sbceeaables.in

c) Correspondence Address

Date of incorporation : 04-OCT-78

Constitution of the firm : Public Limited

Name of Managing Director/Partner/Proprietor

- 1 Mr. S. Bhawarlal, MD
- 2 Mr. Santhosh Mehra, Director
- 3 Mr. B. Kishore Kumar, Director

Permanent Account No. (PAN): 5279MXM001

Annual Turnover	:Year	Rs. (In Lacs)	
	2006-07	1941.2	With Profit
	2005-06	1153.87	With Profit
	2004-05	641.88	With Profit

Monetry Limit (Rs in Lacs): Without any limit

The registration is subject to Conditions of Registration as enclosed and as prescribed by DGS&D from time to time. Stores will be offered for customer's testing and inspection at the premises specified in the Schedule. This Certificate is to be produced only in full and complete with amendments if any. Please quote your registration no. in all future correndondence with DGS&D.

Yours faithfully,

[आर. एस. पाण्डेय]

Deputy Director (Registration)
 for Director General of Supplies & Disposals

निदेशक (पंजीकरण)
 Director Quality Assurance
 बंगलूर/ BANGALORE

Schedule to Registration No. **BAN/S-2927/08/04214**

Dated 05-MAY-08

S.No Works Name & Address

Validity 04-MAY-11

1 **SBEE CABLES (INDIA) LIMITED**
 No. 29. J.C.W. Industrial Estate,
 11 th K.M. Kanakapura Rd
 Bangalore
 080-26662172
 080-26667339



Sales tax registration No. 90309923

Date

CST registration No. 90359926

Date

Excise Duty Registration No.

Authority

S.No	Description of Stores	Governing Specification/ Eligibility Criteria	Model/ Brand	Prod.Capacity/ Dt.of Approval
1	Aerial Bunched Cable with Aluminium conductor for working voltage upto & including 1100V.	IS:14255/1995, Cable size: from 70 to 95 Sq.mm.		04-AUG-08
2	Weather Proof Unarmoured PVC Insulated and PVC Sheathed Copper Conductor Cable	ISI marked Weather proof unarmoured PVC Insulated and PVC Sheathed cable for electric power and lighting with Solid or Stranded Copper Conductor for Voltage upto and including 1100 Volts conforming to IS:694/90 with latest Amdt. The copper conductor shall conform to IS:8130/84 and cable shall be of following sizes:- No. of Core : Single, Twin Flat, Three Circular and Four Circular Cable Size (Sq.mm): 1.0, 1.5, 2.5, 4.0, 6.0, 10.0, 16, 25, 35, 50, 1.5, 2.5, 4.0, 6.0, 10, 16, 25,35, 50 Conductor Type: Solid,3 Strand, 7 Strand,		05-MAY-08


 आर. एस. पाण्डेय
 R. S. PANDEY
 निदेशक गुणवत्ता आश्वासन
 Director Quality Assurance
 बेंगलूर/BANGALORE.



- 3 PVC Insulated, Unarmoured or Armoured, PVC sheathed electric cable for working voltage up to and including 1100 V. PVC insulated armoured and PVC sheathed (general purpose) multicore cable with stranded aluminium/copper conductor ISI marked to IS:1554 (Part-I)/88 with latest amendments and of the following sizes: No. of Cores: Two, Three and Half, Four Armoured or Unarmoured PVC Sheath: GP Cable size (Sq.mm): 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400. 05-MAY-08
- 4 Crosslinked Polyethene Insulated PVC Sheathed Cable for working Voltage upto & 1100V IS:7098 Part-I/1998 with Amendment 1 & 2 Cable size: from 50 to 400 Sq.mm. 05-MAY-08
- 5 Weather Proof Unarmoured PVC Insulated and PVC Sheathed Al. Conductor Cables ISI marked Weather proof unarmoured PVC insulated and PVC sheathed cables for electric power and lighting with stranded aluminium conductor as per detailed specification. 05-MAY-08


No. of Core Size
(Sq. mm)

Single Sheathed 16
Single Sheathed 25
Single Sheathed 35
Single Sheathed 50

Twin Flat 16
Twin Flat 25
Twin Flat 35
Twin Flat 50

Three Circular 16
Three Circular 25
Three Circular 35
Three Circular 50

Four Circular 16
Four Circular 25
Four Circular 35


आर. एस. पाण्डेय
R. S. PANDEY
निदेशक गुणवत्ता आश्वासन
Director Quality Assurance
बेंगलूर/ BANGALORE.



- 6 Non Weather Proof Unarmoured PVC Insulated Unsheathed Al. Conductor Cables ISI marked Non Weather proof unarmoured PVC insulated and PVC sheathed cables for electric power and lighting with stranded aluminium conductor as per detailed specification. 05-MAY-08
- 7 Non Weather Proof Unarmoured PVC Insulated Al. Conductor Cable ISI Marked Unarmoured PVC insulated single core cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable
Size of the cable (Sq.mm)
Conductor Type
1.5 Solid
2.5 Solid
2.5 3 Strand
4.0 Solid
4.0 3 Strand
4.0 7 Strand
6.0 Solid
6.0 3 Strand
6.0 7 Strand
10.0 Solid
10.0 7 Strand 2000 KM per month all items put together 05-MAY-08
- 8 Weather Proof Unarmoured PVC Insulated, PVC Sheathed Al. Conductor Cable ISI Marked Unarmoured PVC insulated single core cable with aluminium conductor for working voltage upto and including 1100 Volt and conforming to IS 694/90 with amendment number 1 & 2 and of the following sizes. Conductor shall be conforming to IS: 8130/84 table I and table II as applicable
Size: 1.5, 2.5, 4.0, 6.0, 05-MAY-08



9 Non Weather Proof,
Unarmoured, PVC Insulated
Unsheathed Copper
conductor Cable


10.0 Sq.mm
No. of Core: Single, Twin
Flate, Three Circular,
Four Circular
Type of Conductor: Solid,
Strand and 7 Strand
ISI marked Non Weather
Proof, unarmoured, P.V.C
Insulated Unsheathed
Cable for Electric Power
and Lighting with Solid
or Stranded Copper
Conductor for Voltage
upto and including 1100
Volts conforming to
IS:694/90 with latest
amdt. The Copper
Conductor shall conform
to IS:8130/84 and cable
shall be of following
sizes:

No. of Core: Single,
Conductor Type: Solid, 3
Strand, 7 Strand, 19
Strand, 37 Strand, 61
Strand

05-MAY-08

No. of items registered (work wise) : 9

* ANNEXURE Attached


आर. एस. पाण्डेय
R. S. PANDEY
निदेशक गुणवत्ता आश्वासन
Director Quality Assurance
बैंगलूर/ BANGALORE.



Copy to:

1. Director of Quality Assurance, [controlling officer]
2. Director of Supplies [concerned purchase Dte(s), DGS&D, New Delhi.
3. Director (Registration) / Director (MIS) DG (S&D), New Delhi
4. Guard Fil

Please Note:

1. This supersedes the earlier Registration Certificate if any
2. This registration is an indication of the capability of the registered firm. For further assurance on quality, the Purchasers are advised to avail the inspection services offered by the Quality Assurance Wing of DGS&D.
3. Authenticity of this certificate can be verified by the government indentors and purchasers by logging on DGS&D website "<http://www.dgsnd.gov.in>".
4. Onus for verification of the firm's ITCC before award of Contract will rest with the purchaser.

ANNEXURE



SBEE CABLES (INDIA) LIMITED
 No. 29. J.C.W. Industrial Estate,
 11 th K.M. Kanakapura Rd
 Bangalore

080-26662172
 080-26667339

Aerial Bunched Cable with Aluminium conductor for working voltage upto & including 1100V.

Limiting Size / Grade / Type

1

Weather Proof Unarmoured PVC Insulated and PVC Sheathed Copper Conductor Cable

Limiting Size / Grade / Type

PVC Insulated, Unarmoured or Armoured, PVC sheathed electric cable for working voltage up to and including 1100 V.

Limiting Size / Grade / Type

Crosslinked Polyethene Insulated PVC Sheathed Cable for working Voltate upto & 1100V

Limiting Size / Grade / Type

Weather Proof Unarmoured PVC Insulated and PVC Sheathed Al. Conductor Cables

Limiting Size / Grade / Type

Non Weather Proof Unarmoured PVC Insulated Unsheathed Al. Conductor Cables

Limiting Size / Grade / Type

Non Weather Proof Unarmoured PVC Insulated Al. Conductor Cable

Limiting Size / Grade / Type

Weather Proof Unarmoured PVC Insulated, PVC Sheathed Al. Conductor Cable

Limiting Size / Grade / Type

Non Weather Proof, Unarmoured, PVC Insulated Unsheathed Copper conductor Cable

Limiting Size / Grade / Type

1

आर. एस. पाण्डेय
 R. S. PANDEY
 निदेशक गुणवत्ता आश्वासन
 Director Quality Assurance
 बंगलूर/ BANGALORE.



Conditions of Registration

1. Registered firms are to abide by the General Conditions of contracts contained in DGS&D-68 (revised and DGS&D-1001 from time to time.
2. It is obligatory on the part of the registered firms to furnish performance statement in format prescribed in the Application Form every year indicating all orders placed on them.
3. Registered firms are required to keep Registering Authority informed about the changes in any of the particulars furnished by them in their application or in their product specification or discontinuation of production of any item for which they stand registered. This intimation is to be given within a period of 15 days from the date of such change or discontinuation.
4. Registered firms are required to furnish all the documents having specific validity periods like BIS license, lease agreement, agreement with the principal/manufactures to registering authority as and when they become due. Separate application shall be made for such unit, where firm has more than one manufacturing units. Requests for change in the of a firm and/or their office address should be addressed to the Registration office/centre who granted the documentary evidence. In the event of any change in the constitution of the firm or in the location of their manufacturing works, the registration with DGS&D shall lapse. The firm should surrender the original registration certificate in such cases and apply for registration afresh.
5. In cases where stores are manufactured by a firm other than the supplier, the manufacturer has given a back up warranty for the stores supplied. It will be responsibility of the supplier/manufacturer (both in case they are different) to ensure availability of spares for at least period of 7 years after the date of supply.
6. All registered firms are expected to maintain absolute integrity, follow a decent standard of business ethics and do nothing unbecoming of a registered supplier.
7. Fresh application with prescribed fee shall be required to be made after expiry of previous registration or for seeking additional registration/change of specification.
8. DGS&D registration is one of the requirements for the suppliers to participate in DGS&D tenders. The tenders may stipulate other requirements/eligibility criteria which are also required to be compelled with.
9. The registration on the approved list does not guarantee award of any contract. In their quotation against tenders, registered firms are to quote their registration number, along with clear statement that the tenderer is registered for that particular store with DGS&D.
10. In all future correspondence with the Registration Branch/Registering Authority of DGS&D, approved vendors are always required to quote the Registration No. given at the top of the registration letter.
11. Whenever registered firms are required to produce copy of their registered certificate copy of the original certificate complete with all the amendments including additions/deletions is made their after shall be produced.
12. The Government has right to add/delete any of the items and to amend any of the terms and conditions included in the registration granted to the firms with effect from any date specified in the communication
13. Failure to abide by the conditions of registration as above on any of the other grounds as listed under Para 5.17.2 of DGS&D Manual being applicable, name of a registered firm liable to be removed from the list of approved suppliers of DGS&D